

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Depth to bedrock	1.00
		Depth to bedrock	1.00			Restricted permeability	0.96
AdB2: Aldino-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too acid	1.00	Slope	0.50	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to bedrock	1.00
		Depth to bedrock	1.00			Restricted permeability	0.96
AdC2: Aldino-----	95	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
AsC: Aldino-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too acid	1.00	Slope	1.00	Large stones on the surface	1.00
		Stone content	1.00	Stone content	1.00	Too steep for surface application	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
AuB: Aldino-----	50	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Depth to bedrock	1.00
		Depth to bedrock	1.00			Restricted permeability	0.96
Av: Alluvial Land-----	100	Not rated		Not rated		Not rated	
BaA: Baile-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Seepage	0.62			Restricted permeability	0.96
BaB: Baile-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Too acid	1.00	Slope	0.50	Too acid	1.00
		Seepage	0.62	Too acid	0.14	Restricted permeability	0.96
						Too steep for surface application	0.68
BmA: Baltimore-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too acid	0.14
		Too acid	0.14				
BmB2: Baltimore-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too steep for surface application	0.68

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BmC2: Baltimore-----	100	Too acid	0.14			Too acid	0.14
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
BnB: Baltimore-----	50	Too acid	0.14			Too acid	0.14
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too acid	0.14
		Too acid	0.14			Too steep for surface application	0.08
Urban Land-----	30	Not rated		Not rated		Not rated	
Br: Barclay-----	95	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	0.91
		Too acid	0.91				
BtA: Beltsville-----	95	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
BtB: Beltsville-----	95	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
						Too steep for surface application	0.08

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BtC2: Beltsville-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.96
BuB: Beltsville-----	50	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
Urban Land-----	30	Not rated		Not rated		Not rated	
BuC: Beltsville-----	50	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.96
Urban Land-----	30	Not rated		Not rated		Not rated	
BwB2: Brandywine-----	100	Very limited Seepage	1.00	Somewhat limited Cobble content	0.74	Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00	Restricted permeability	0.32	Too steep for surface application	0.68
		Cobble content	0.44	Too acid	0.14		
BwC2: Brandywine-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ByD2: Brandywine-----	100	Low adsorption	1.00	Cobble content	0.74	Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	0.32	Too acid	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Cobble content	0.44				
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Cobble content	0.84	Too steep for surface application	1.00
		Low adsorption	1.00	Restricted permeability	0.32	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Cobble content	0.68				
ByD3: Brandywine-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Cobble content	0.84	Too steep for surface application	1.00
		Low adsorption	1.00	Restricted permeability	0.32	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Cobble content	0.68				
ByE: Brandywine-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Cobble content	0.84	Too steep for surface application	1.00
		Low adsorption	1.00	Restricted permeability	0.32	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Cobble content	0.68				
CaA: Captina-----	95	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96
		Depth to saturated zone	0.86	Too acid	0.03	Depth to saturated zone	0.86
		Too acid	0.77			Too acid	0.77
CaB2: Captina-----	95	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Restricted permeability	0.96

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CcA: Chester-----	100	Depth to saturated zone	0.86	Slope	0.50	Depth to saturated zone	0.86
		Too acid	0.77	Too acid	0.03	Too acid	0.77
						Too steep for surface application	0.68
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
CcB2: Chester-----	100	Seepage	1.00			Too acid	1.00
		Too acid	1.00				
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	1.00
CcC2: Chester-----	100	Too acid	1.00			Too steep for surface application	0.68
		Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
CgB2: Chester-----	100	Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	1.00
CgC2: Chester-----	100	Too steep for surface application	1.00			Too steep for surface application	0.68
		Too acid	1.00				
		Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
ChB2: Chillum-----	100	Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChC2: Chillum-----	100	Too acid	1.00			Too steep for surface application	0.08
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.22			Too acid Too steep for sprinkler application	1.00 0.22
ChC3: Chillum-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.22			Too acid Too steep for sprinkler application	1.00 0.22
ChB2: Chillum-----	50	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00			Too acid Too steep for surface application	1.00 0.08
Neshaminy-----	30	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.91
		Too acid	0.91	Cobble content	0.01	Restricted permeability	0.26
		Cobble content	0.01			Too steep for surface application	0.08
ChC2: Chillum-----	50	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.22			Too acid Too steep for sprinkler application	1.00 0.22
Neshaminy-----	30	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CkD2: Chillum-----	50	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	0.91	Slope	1.00	Too acid	0.91
		Too steep for surface application	0.22	Cobble content	0.01	Restricted permeability	0.26
		Cobble content	0.01			Too steep for sprinkler application	0.22
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Neshaminy-----	30	Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too acid	0.91
		Too acid	0.91	Cobble content	0.01	Restricted permeability	0.26
C1B: Chillum-----	50	Cobble content	0.01				
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
Urban Land-----	30	Seepage	1.00			Too acid	1.00
		Too acid	1.00				
		Not rated		Not rated		Not rated	
C1D: Chillum-----	50	Not rated					
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	1.00			Too acid	1.00
Urban Land-----	30	Too steep for surface application	0.78			Too steep for sprinkler application	0.78
		Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CmB: Christiana-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Too acid	0.42	Too acid	1.00
		Seepage	1.00			Restricted permeability	0.50
						Too steep for surface application	0.08
CmC2: Christiana-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00
		Seepage	1.00	Too acid	0.42	Too steep for surface application	1.00
		Too steep for surface application	0.22			Restricted permeability	0.50
						Too steep for sprinkler application	0.22
CnB2: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too steep for surface application	0.68
CoC3: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
CoE3: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cp: Clay Pits-----	95	Seepage	1.00			Too steep for sprinkler application	1.00
		Not rated		Not rated		Not rated	
Ct: Coastal Beaches----	95	Not rated		Not rated		Not rated	
		Not rated		Not rated		Not rated	
Cu: Codorus-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Too acid	0.91
		Depth to saturated zone	1.00			Flooding	0.60
		Too acid	0.91				
Cv: Comus-----	100	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Flooding	0.60	Too acid	0.91
		Seepage	1.00			Flooding	0.60
		Too acid	0.91				
CwB2: Conestoga-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too steep for surface application	0.68
		Too acid	0.31			Too acid	0.31
CwC2: Conestoga-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.31			Too acid	0.31

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DcB: Delanco-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.68
		Flooding	0.40			Restricted permeability	0.26
Du: Dunning-----	100	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Flooding	0.60	Restricted permeability	0.96
		Seepage	1.00			Flooding	0.60
EdB2: Edgemont-----	100	Very limited Seepage	1.00	Very limited Depth to bedrock	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.62	Too steep for surface application	0.68
				Slope	0.50		
				Too acid	0.14		
EdC2: Edgemont-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too steep for surface application	1.00	Restricted permeability	0.62	Too steep for sprinkler application	1.00
				Too acid	0.14		
EgD: Edgemont-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too steep for surface application	1.00	Restricted permeability	0.62	Too steep for sprinkler application	1.00
				Too acid	0.14		
EgE: Edgemont-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EhB2: Elioak-----	100	Too steep for surface application	1.00	Slope	1.00	Too steep for surface application	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	0.62	Too acid	1.00
				Too acid	0.14		
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 0.91	Slope	0.50	Too acid Too steep for surface application	0.91 0.68
EhC2: Elioak-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
EkB2: Elioak-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	0.91
		Too acid	0.91			Too steep for surface application	0.68
EkC2: Elioak-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
ElC3: Elioak-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Em: Elkton-----	50	Too acid	1.00			Too acid	1.00
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
En: Elkton-----	50	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Eo: Elkton-----	50	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
EsB: Elsinboro-----	100	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Slope	0.50	Too steep for surface application	0.68
EsC2: Elsinboro-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Fa: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Low adsorption	0.04

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fs: Fallsington-----	50	Low adsorption	0.04				
		Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
FtB: Fort Mott-----	100	Seepage	1.00	Restricted	1.00	Too acid	1.00
		Too acid	1.00	permeability		Low adsorption	0.04
		Low adsorption	0.04	Too acid	0.14		
GaB: Galestown-----	100	Very limited		Somewhat limited		Very limited	
		Seepage	1.00	Restricted	0.62	Too acid	1.00
		Too acid	1.00	permeability		Filtering	
				Too acid	0.14	capacity	1.00
GaC: Galestown-----	100	Very limited		Somewhat limited		Very limited	
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Filtering	1.00
						capacity	
GcB2: Glenelg-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Too acid	1.00
		Seepage	1.00	Too acid	0.14	Too steep for	1.00
		Too acid	1.00			surface	
GcC2: Glenelg-----	100	Too steep for	0.22			application	
		surface				Filtering	1.00
		application				capacity	
						Too steep for	0.22
GcC3: Glenelg-----	100	Very limited		Very limited		Low adsorption	1.00
		Low adsorption	1.00	Restricted	1.00	Too acid	1.00
		Seepage	1.00	permeability		Too steep for	0.68
		Too acid	1.00	Slope	0.50	surface	
GcC2: Glenelg-----	100	Too steep for	0.22	Cobble content	0.02	application	
		surface					
		application					
GcC3: Glenelg-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted	1.00	Too steep for	1.00
		Too acid	1.00	permeability		surface	
GcC3: Glenelg-----	100	Too steep for	1.00	Cobble content	0.02	application	
		surface				Too steep for	1.00
		application				sprinkler	
						application	
GcC3: Glenelg-----	100	Too acid	1.00			Too acid	1.00
GcC3: Glenelg-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GcD2: Glenelg-----	100	Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
GcD3: Glenelg-----	100	Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
GgB2: Glenelg-----	100	Seepage	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00	Cobble content	0.03	Too steep for surface application	0.68
GgC2: Glenelg-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
GgD2: Glenelg-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GgD3: Glenelg-----	100	Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Cobble content	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Cobble content	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
GlB: Glenelg-----	50	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Cobble content	0.02	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
Urban Land-----	30	Not rated		Not rated		Not rated	
GlC: Glenelg-----	50	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
GnA: Glenville-----	95	Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.50

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GnB: Glenville-----	95	Too acid	0.31			Too acid	0.31
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.50	Too steep for surface application	0.68
		Too acid	0.31			Restricted permeability	0.50
GuB: Glenville-----	50					Too acid	0.31
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.50
		Too acid	0.31			Too acid	0.31
Urban Land-----	30					Too steep for surface application	0.08
		Not rated		Not rated		Not rated	
HaA: Hagerstown-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too acid	0.77
		Too acid	0.77				
HaB2: Hagerstown-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	0.77
		Too acid	0.77			Too steep for surface application	0.68
HaC2: Hagerstown-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	1.00
		Too steep for surface application	1.00			Too acid	0.77
Hb: Hatboro-----	100	Too acid	0.77				
		Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HoB2: Hollinger-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	1.00			Too acid	0.31
		Too acid	0.31				
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
HoC2: Hollinger-----	100	Seepage	1.00	Slope	0.50	Too steep for surface application	0.68
		Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
HrD3: Hollinger-----	50	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
Conestoga-----	50	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.31			Too acid	0.31
HsC: Hollinger-----	50	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Large stones on the surface	1.00
		Too steep for surface application	0.50			Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Conestoga-----	50	Too acid	0.14	Very limited Restricted permeability Slope	1.00	Too steep for sprinkler application	0.50
		Stone content	0.11			Too acid	0.14
		Very limited Low adsorption	1.00			Very limited Low adsorption	1.00
		Seepage	1.00			Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.50			Too acid Too steep for sprinkler application	1.00 0.50
Iu: Iuka-----	95	Very limited Flooding	1.00	Very limited Depth to saturated zone Restricted permeability Flooding	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Depth to saturated zone	1.00
		Seepage	1.00			Too acid	0.67
		Depth to saturated zone Too acid	1.00 0.67			Flooding	0.60
JpB: Joppa-----	100	Very limited Seepage	1.00	Somewhat limited Restricted permeability Too acid	0.32	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
JpC2: Joppa-----	100	Very limited Seepage	1.00	Very limited Slope Restricted permeability Too acid	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too acid	1.00
		Too acid	1.00			Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
JpD2: Joppa-----	100	Very limited Seepage	1.00	Very limited Slope Restricted permeability Too acid	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
JuD: Joppa-----	50	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 0.78	Very limited Slope Restricted permeability Too acid	1.00 0.32 0.14	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 0.78
Urban Land-----	30	Not rated		Not rated		Not rated	
KeB2: Kelly-----	95	Very limited Low adsorption Seepage Depth to saturated zone Too acid Depth to bedrock	1.00 1.00 1.00 0.91 0.42	Very limited Restricted permeability Depth to saturated zone Depth to bedrock Slope	1.00 1.00 1.00 1.00 0.12	Very limited Restricted permeability Low adsorption Depth to saturated zone Too acid Depth to bedrock	1.00 1.00 1.00 0.91 0.42
KeC2: Kelly-----	95	Very limited Depth to bedrock Low adsorption Seepage Too steep for surface application	1.00 1.00 1.00 1.00	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 1.00	Very limited Depth to bedrock Low adsorption Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 1.00
KsC: Kelly-----	95	Very limited Seepage Too acid Depth to bedrock Too steep for surface application	1.00 0.77 0.42 0.22	Very limited Depth to bedrock Restricted permeability Slope	1.00 1.00 1.00	Very limited Too steep for surface application Too acid Depth to bedrock Too steep for sprinkler application	1.00 0.77 0.42 0.22
KuB: Kelly-----	50	Very limited Low adsorption Seepage Depth to saturated zone	1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Depth to bedrock	1.00 1.00 1.00	Very limited Restricted permeability Low adsorption Depth to saturated zone	1.00 1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Too acid	0.91			Too acid	0.91
		Depth to bedrock	0.42			Depth to bedrock	0.42
LeB2: Legore-----	100	Not rated		Not rated		Not rated	
LeC2: Legore-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted	1.00	Restricted	1.00
		Seepage	1.00	permeability		permeability	
		Too acid	0.67	Slope	0.50	Low adsorption	1.00
LeD2: Legore-----	100	Too steep for		Too steep for		Too steep for	
		surface		surface		surface	
		application	1.00	application		application	
		Too acid	0.67	Too acid		Too acid	0.67
LeE: Legore-----	100	Very limited		Very limited		Very limited	
		Too steep for	1.00	Slope	1.00	Restricted	1.00
		surface				permeability	
		application	1.00	Restricted	1.00	Low adsorption	1.00
LeF: Legore-----	100	Low adsorption	1.00	permeability		Too steep for	1.00
		Seepage	1.00			surface	
		Too acid	0.67			application	
						Too steep for	1.00
LeG: Legore-----	100	Very limited		Very limited		Too steep for	
		Too steep for	1.00	Slope	1.00	surface	
		surface				application	
		application	1.00	Restricted	1.00	Too steep for	1.00
LeH: Legore-----	100	Low adsorption	1.00	permeability		sprinkler	
		Seepage	1.00			application	
		Too acid	0.67			Too acid	0.67

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LfC: Legore-----	100					Too acid	0.67
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Too acid	0.67			Too steep for surface application	1.00
		Too steep for surface application	0.50			Too acid	0.67
LfD: Legore-----	100					Too steep for sprinkler application	0.50
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Restricted permeability	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too steep for surface application	1.00
		Too acid	0.67			Too steep for sprinkler application	1.00
LfE: Legore-----	100					Too acid	0.67
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Restricted permeability	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too steep for surface application	1.00
		Too acid	0.67			Too steep for sprinkler application	1.00
LgC3: Legore-----	100					Too acid	0.67
		Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Restricted permeability	1.00
		Seepage	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Too steep for surface application	1.00			Too steep for surface application	1.00
		Too acid	0.67			Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LgD3: Legore-----	100					Too acid	0.67
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Restricted permeability	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too steep for surface application	1.00
LhB: Legore-----	50	Too acid	0.67			Too steep for sprinkler application	1.00
						Too acid	0.67
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Seepage	1.00			Low adsorption	1.00
Urban Land-----	30	Too acid	0.67			Too acid	0.67
						Too steep for surface application	0.08
		Not rated		Not rated			
LhC: Legore-----	50	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Restricted permeability	1.00
		Seepage	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Too steep for surface application	1.00			Too steep for surface application	1.00
		Too acid	0.67			Too steep for sprinkler application	1.00
Urban Land-----	30					Too acid	0.67
		Not rated		Not rated			
LlB: Lenoir-----	80	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LmB: Lenoir-----	80	Too acid	1.00			Restricted permeability	0.96
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone Too acid	1.00	Too acid	0.14	Too acid	1.00
LmC2: Lenoir-----	85					Restricted permeability	0.96
		Very limited Depth to saturated zone Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
			1.00	Depth to saturated zone	1.00	Too acid	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
LnC3: Lenoir-----	85	Too steep for surface application	0.50	Too acid	0.14	Restricted permeability	0.96
						Too steep for sprinkler application	0.50
		Very limited Depth to saturated zone Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
			1.00	Depth to saturated zone	1.00	Too acid	1.00
LoB: Lenoir-----	50	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.50	Too acid	0.14	Restricted permeability	0.96
						Too steep for sprinkler application	0.50
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
Urban Land-----	30	Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone Too acid	1.00	Too acid	0.14	Too acid	1.00
			1.00			Restricted permeability	0.96
		Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lr: Leonardtown-----	100	Very limited Depth to saturated zone Low adsorption Seepage Too acid	1.00 1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Depth to saturated zone Low adsorption Too acid Restricted permeability	1.00 1.00 1.00 0.96
Ls: Lindside-----	95	Very limited Flooding Low adsorption Seepage Depth to saturated zone	1.00 1.00 1.00 0.95	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 1.00 0.60	Very limited Low adsorption Depth to saturated zone Flooding	1.00 0.95 0.60
LyB: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyD: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyE: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MbB2: Manor-----	100	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Slope Too acid	1.00 0.50 0.03	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.68

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MbC2: Manor-----	100	Very limited Low adsorption Seepage	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Too steep for surface application Too acid	1.00 1.00	Too acid	0.03	Too steep for sprinkler application Too acid	1.00 1.00
MbC3: Manor-----	100	Very limited Low adsorption Seepage	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Too steep for surface application Too acid	1.00 1.00	Too acid	0.03	Too steep for sprinkler application Too acid	1.00 1.00
MbD2: Manor-----	100	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Seepage Too acid	1.00 1.00	Too acid	0.03	Too steep for sprinkler application Too acid	1.00 1.00
MbD3: Manor-----	100	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Seepage Too acid	1.00 1.00	Too acid	0.03	Too steep for sprinkler application Too acid	1.00 1.00
McB2: Manor-----	100	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Slope Too acid	1.00 0.50 0.03	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.68
McC2: Manor-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
McC3: Manor-----	100	Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
McD2: Manor-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
McD3: Manor-----	100	Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
McE: Manor-----	100	Seepage	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
McE: Manor-----	100	Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MeD: Manor-----	50	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Seepage Too acid	1.00 1.00	Too acid	0.03	Too steep for sprinkler application Too acid	1.00 1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
MgC: Manor-----	50	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.03	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
Glenelg-----	50	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.03	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
MhD: Manor-----	50	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Seepage Too acid	1.00 1.00	Too acid	0.03	Too steep for sprinkler application Too acid	1.00 1.00
Brandywine-----	50	Very limited Seepage Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Low adsorption	1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MhE: Manor-----	50	Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
Brandywine-----	50	Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
MkA: Matapeake-----	100	Low adsorption	1.00			Too steep for sprinkler application	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00	Very limited		Too acid	1.00
MkB: Matapeake-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
MkC2: Matapeake-----	100	Too acid	1.00			Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MlA: Mattapex-----	95	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
MlB: Mattapex-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
MmB: Mattapex-----	50	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
Urban Land-----	30	Not rated		Not rated		Not rated	
Mn: Melvin-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	0.60
		Seepage	1.00	Flooding	0.60		
Mo: Melvin-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	0.60
		Seepage	1.00	Flooding	0.60		
Mr: Mine Dumps And Quarr	95	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MsB2: Montalto-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	0.77
		Too acid	0.77			Too steep for surface application	0.68
						Restricted permeability	0.26
MsC2: Montalto-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Restricted permeability	0.26
MtB2: Mt. Airy-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.68
MtC2: Mt. Airy-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
MtD2: Mt. Airy-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtD3: Mt. Airy-----	100	Too acid	1.00			Too acid	1.00
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
NeB2: Neshaminy-----	100	Too acid	1.00			Too acid	1.00
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.91
		Too acid	0.91	Slope	0.50	Too steep for surface application	0.68
		Cobble content	0.01	Cobble content	0.01	Restricted permeability	0.26
NeC2: Neshaminy-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Cobble content	0.01	Too acid	0.91
		Cobble content	0.01			Restricted permeability	0.26
Ot: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.26
Po: Pocomoke-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00				
ReC2: Relay-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ReD2: Relay-----	100	Seepage	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Depth to bedrock	0.13			Depth to bedrock	0.13
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
RsD: Relay-----	100	Low adsorption	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Depth to bedrock	0.13			Depth to bedrock	0.13
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
RsE: Relay-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
		Restricted permeability	0.26			Restricted permeability	0.26
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Restricted permeability	1.00
RyD3: Relay-----	100	Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too steep for surface application	1.00
		Too acid	0.67			Too steep for sprinkler application	1.00
		Too acid	0.67			Too acid	0.67
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sg: Sand And Gravel Pits	95	Low adsorption	1.00	Depth to bedrock	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Depth to bedrock	0.13			Depth to bedrock	0.13
ShA: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
ShB: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
ShC2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
ShC3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
ShD2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SlA: Sassafras-----	100	Too acid	1.00	Too acid	0.14	Too acid	1.00
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SlB: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SlC2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SnB: Sassafras-----	50	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
Urban Land-----	30	Not rated		Not rated		Not rated	
SsD3: Sassafras-----	50	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.78	Too acid	0.14	Too steep for sprinkler application	0.78
Joppa-----	50	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.32	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.78			Too steep for sprinkler application	0.78

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SsE: Sassafras-----	50	Very limited Too steep for surface application Seepage	1.00 1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
Joppa-----	50	Too acid	1.00	Too acid	0.14	Too acid	1.00
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Low adsorption	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
St: Stony Land-----	100	Not rated		Not rated		Not rated	
SuB2: Sunnyside-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.77	Too acid	1.00
		Too acid	1.00				
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
Ub: Paved Areas-----	100	Not rated		Not rated		Not rated	
WaA: Watchung-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaB: Watchung-----	100	Seepage	1.00			Restricted permeability	0.96
		Too acid	0.77			Too acid	0.77
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Restricted permeability	0.96
		Too acid	0.77			Too acid Too steep for surface application	0.77 0.68
WcB: Watchung-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00			Restricted permeability	0.96
		Too acid	0.77			Too acid Too steep for surface application	0.77 0.08
WdA: Woodstown-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.72	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14		
WdB: Woodstown-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.72	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.08
WoA: Woodstown-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14		

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoB: Woodstown-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.08

